

COOKER HOODS

Eurolux
THE EXPERT IN BUILT-IN APPLIANCES

WIN A90 BK

~~779~~
729,

B
CLASS



WIN A90 W


~~799~~
759,

WIN

Vertical cooker hood

Capacity – 719 m³/h according to European standard EN 61591

- Touch electronic control
- Intensive aspiration - 10 min.
- Delayed stop up to 15 min.
- Perimeter aspiration
- Minimal noise level according/49dB (A)
- Halogen lighting/2x20W
- Metal-cassette filters
- Backdraught damper - included
- Size – 60/90 cm/White, black glass



WIN A60 BK

~~759~~
699,

WIN A60 W

~~769~~
749,



ENERGY PLUS A60 X

Built-in telescopic cooker hood

Capacity – 754m³/h according to European standard EN 61591

Touch control


- Intensive aspiration - 10 min.
- Delayed stop up to 15 min.
- Improved construction characteristics
- Pull-out telescopic panel
- Double pull-out filter
- Halogen lighting/2x20W
- Metal-cassette filters
- Backdraught damper - included
- Size – 60 cm/Gray + Stainless steel

ENERGY A60 X

Built-in telescopic cooker hood

Capacity – 618m³/h according to European standard EN 61591

- Improved construction characteristics
- Pull-out telescopic panel
- Double pull-out filter
- Manual control
- Halogen lighting/2x20W
- Metal-cassette filters
- Size – 60 cm/Gray + Stainless steel



249,


D
CLASS

INTEGRA PLUS EKO A52 PB X

Built-in cooker hood

Capacity – 500m³/h according to European standard EN 61591

- Energy-efficient double turbine motor
- Electromechanical control SG sliders
- Halogen lighting/2 x 28W
- Metal-cassette filters
- Size – 52 cm/Stainless steel



~~229~~
199,

D
CLASS

HOBS


Eurolux
THE EXPERT IN BUILT-IN APPLIANCES

~~269~~
239,

HBE TC2 FV
Glass-ceramic hob



- Bevelled front edges
- One touch control
- Individual programming of each cooking zone
- Hi-light cooking zones – 2
- "Switch-off" alarm cooking timer
- 9 Power levels
- "Quick heating" function
- Automatic switch-off safety function
- Child Lock safety system
- Residual heat indicator
- Size – 290 x 520 mm



REFRIGERATORS/ FREEZERS

Combined fridge-freezer

REFER 36 V A R

1199 LV.

REFER 36 V A L

1199 LV.



MAIN CHARACTERISTICS

IVORY	Color – Ivory	
	Gross / Net capacity	335 l/318 l
	Refrigerator capacity	231 l
	Freezer capacity	87 l
	Climatic class ST / N	★★★★
	1 Compressor	
	Rustic handles	
	Size	1870 x 595 x 630 mm

ADVANTAGES

- Energy efficiency class A+
- 3D NO FROST Cooling system**
- Electronic temperature controller
- Antibacterial protection

EQUIPMENT of refrigerator compartment

- Four removable glass shelves
- Bottle rack
- Transparent shelves for dairy products
- Two transparent fruit drawers
- Egg holder

EQUIPMENT of freezer compartment

- 3 Compartments
- Ice tray – 2 pcs.

SINKS

Eurolux
THE EXPERT IN BUILT-IN APPLIANCES

SERENA 780

External dimensions – 780 x 500 mm

Bowl size – 450 x 410 mm

Bowl depth – 200 mm

Built-in hole – 760 x 480 mm

Cabinet size – 600 mm


Automatic valve

Manufactured with two drain holes



* Automatic valve

379,



ALEX 460

External dimensions – 460 x 515 mm

Bowl size – 390 x 375 mm

Bowl depth – 200 mm

Built-in hole – 440 x 495 mm

Cabinet size – 450 mm


Automatic valve

Manufactured with two drain holes – center side and right side

269,



* Automatic valve



Matte finish

~~179,~~
159,

Polished finish

~~199,~~
179,



PRIME BB 86 OKP X

External dimensions – 860x500 mm


Bowl size – 450x400 mm

Bowl depth – 170 mm

Built-in hole – 840 x 480 mm

Cabinet size – 600 mm

Reversible - left / right drainer



Matte finish

~~139,~~
119,

Polished finish

~~149,~~
139,

Linen finish

~~159,~~
149,



PRIME 80 DB 17 OKP X

External dimensions – 800x500 mm


Bowl size – 340x400 mm

Bowl depth – 170 mm

Built-in hole – 780 x 480 mm

Cabinet size – 450 mm

Reversible - left / right drainer




MIXERS

Eurolux
THE EXPERT IN BUILT-IN APPLIANCES

NYX

GRANCOLOR colors No:
710 / 601 / 501 / 301 / 202 / 112 / 111 / 110


159 LV.



ANTIQUE

GRANCOLOR colors No:
511 / 311

249 LV.



OVENS

LINO
COMFORT AT A REACH

→ FVA 4EPB2 CS

* Multi-functional oven



**FOR SET
SALE ONLY !**

MAIN CHARACTERISTICS



- Multi-functional oven / 4 functions
- Push buttons control
- Electronic programmer
- Full glass inner door
- Removable full inner glass for easy cleaning
- Easy to Clean Enamel
- Side racks
- 1 Grid/1 Tray
- Capacity – 61 l
- Size – 60 cm

→ FVA 4MT2 CS

* Multi-functional oven



369,

MAIN CHARACTERISTICS



- Energy efficiency class A
- Multi-functional oven / 4 functions
- Tangential cooling fan
- Mechanical "Switch-off" timer up to 100 min.
- Full glass inner door
- Removable full inner glass for easy cleaning
- Easy to Clean Enamel
- Molded muffle
- 1 Grid
- 1 Tray
- Capacity – 58 l
- Size – 60 cm

→ FVA 4M2 CS

* Multi-functional oven





339,

MAIN CHARACTERISTICS



- Energy efficiency class A
- Multi-functional oven / 4 functions
- Tangential cooling fan
- Full glass inner door
- Removable full inner glass for easy cleaning
- Easy to Clean Enamel
- Molded muffle
- 1 Grid
- 1 Tray
- Capacity – 58 l
- Size – 60 cm



Installation drawing:
FVA 4EPB2 CS
FVA 4M2 CS
FVA 4MT2 CS

COOKER HOODS

LINO
COMFORT AT A REACH

→ FLEXA 300 LG A60

*Built-in telescopic cooker hood



119,

MAIN CHARACTERISTICS



Capacity – 300m³/h
according to European standard EN 61591



Electromechanical switch control



Minimal noise level according – 49 dB(A)



Pull-out telescopic panel



Double pull-out filter




Halogen lighting – 2x28 W



Metal-cassette filters



Size – 60 cm/Gray + Stainless steela



→ HBI LG A60

*Built-in telescopic cooker hood



155,

MAIN CHARACTERISTICS



Capacity – 420m³/h
according to European standard EN 61591



Double turbine motor



Electromechanical control SG sliders



Minimal noise level according – 54dB(A)



Pull-out telescopic panel



Double pull-out filter




Halogen lighting - 2 x 28W



Metal-cassette filters



Size – 60 cm



REFRIGERATORS/ FREEZERS

→ HSL 1001 FLV W

*Free Standing Refrigerators

MAIN CHARACTERISTICS



Gross / Net capacity 91 / 88 l



Refrigerator capacity 88 l



Climatic class ST/N ****



1 Compressor



Size 821 x 480 x 507 mm



Freezer capacity



259, ~~279,~~

ADVANTAGES



Energy efficiency class A+



"Auto-defrost" function



Electronic temperature controller



Antibacterial protection



Reversible doors



Built-in handles